

PRINCESS 64



PRINCESS 64

The deep-V hull of the Princess 64 uses the latest infusion technology to reduce weight and improve efficiency. She delivers a performance that is fast, agile and highly competent yet behind her sleek, sporty profile hides an incredibly spacious fourcabin motor yacht.

Whether relaxing or entertaining the exterior of the Princess 64 provides exceptional space and flexibility. The teak-laid flybridge creates a relaxing entertaining space with a large teak table for alfresco dining, generous seating and full wetbar with barbecue. A second table in the cockpit offers an alternative location to eat or relax, shaded below the flybridge. For water sports, the electro-hydraulic bathing platform is large enough to accommodate a 3.25m jet-rib and enables effortless launch and recovery. Her interior is light, welcoming and impeccably finished with the finest fittings and materials. The dining area is located forward of the saloon and adjacent to the galley so turning the whole of the main deck into a highly sociable area in which to host guests. Alternatively the galley can be effortlessly separated from the saloon by a powered elegant glass screen.

Highly unusual for this size of craft the Princess 64 features four spacious cabins, three of which enjoy en-suite facilities and all are furnished to the highest of standards. A fifth cabin with twin beds and en-suite shower room can also be specified for crew or occasional guests.







Saloon • Galley • Helm • Dining Area











Owner's Stateroom • Starboard Guest Cabin • Forward Guest Cabin • Owner's Stateroom Bathroom






FLYBRIDGE LAYOUT



LOWER ACCOMMODATION LAYOUT



LOWER ACCOMMODATION (OPTIONAL STUDY) LAYOUT

PRINCIPAL DIMENSIONS

PRINCIPAL DIMENSIONS	
Length overall (incl. pulpit)	64ft 10in (19.70m)
Length overall (excl. pulpit)	64ft 0in (19.45m)
Beam	16ft 4in (5.03m)
Draft	4ft 9in (1.45m)
Displacement approx. (Twin Volvo D13-900)	34,000 kg* (74,957 lbs)
Fuel capacity	750 gal/901 US gal/3,409∟
Water capacity (incl. calorifier)	200 gal/ 240 US gal/909∟

STANDARD EQUIPMENT

Power-assisted electro-hydraulic steering system	
Dual station bow thruster (170kgf/375lbf)	
24v DC/240v AC electrical system	
240v shore power with 100-amp float battery charger	
220v/240v diesel generator (11kW)	
Dual station remote control electric anchor winch	
Deck/anchor wash	
Colour radar/chart plotter/GPS	

Electric stern rope mooring winches
Dual station electric trim tabs with indicators
Dual station autopilot
Dual station VHF with DSC R/T with intercom
Dual station speed and distance log
Dual station echo sounder with alarm
Dual station remote control searchlight
Combination microwave/conventional oven/grill
Full height refrigerator with deep freeze
Dishwasher
Cocktail cabinet with refrigerator
Icemaker
Flybridge wetbar including sink, drawer fridge and electric barbecue
Flybridge refrigerated coolbox
Laundry centre
Electric quietflush toilets with holding tank
Saloon LED TV/DVD with surround-sound system
LED TV/DVD/radio in owner's stateroom

Teak-laid transom platform/cockpit deck/flybridge stairway/ flybridge/stairs to side decks	
Flybridge sunbed and cushions	
Helmsman's door to side deck	
Stainless-steel framed triple saloon doors	
Transom platform with electro-hydraulic raise lower mechanism and tender storage facilities (up to 3.25m tender and 400kg/882lbs)	
Transom gate on port side of cockpit	
Hot and cold transom shower	
Cockpit night cover	
ENGINES – DIESEL	
Twin Volvo D13-900 (2 x 900mhp) Speed range: 28–30 knots †	
Twin Caterpillar C18 A (2 x 1015mhp) Speed range: 30–32 knots †	
Twin Caterpillar C18 A (2 x 1150mhp) Speed range: 32–34 knots †	

‡ For information on USA specifications see page 191

DECK FITTINGS

- Teak-laid transom platform, cockpit deck, flybridge, flybridge stairway and stairs to side deck
- Reversible electric anchor winch with foredeck
- main helm and flybridge controls
- Stemhead roller with automatic anchor launch and retrieve
- Self-stowing 40kg/88lbs Delta anchor with 40m of chain
- Twin electric-powered sternline mooring winches
- Bow rope stowage locker
 Bow and stern fairleads
- Freshwater deck/anchor wash Coachroof sunbed recess
- Stainless-steel bow, stern and spring cleats (2 pairs)
 Stainless-steel pulpit and guard rails
- Forward coachroof handrails
- Forward coachroor handraits
 Flybridge handraits
 Heavy duty white PVC rubbing band with
 stainless-steel insert
 Euli set of IMCO navigation lights
- Riding lightDual station remote control searchlight
- Twin electric horns Fuel and water filler
- Dinghy chock system

AFT COCKPIT

Self-draining

- U-shaped seating and folding leaf teak table
- Cockpit lighting Cockpit cover
- Stainless-steel handrails
- Teak-laid hatch on gas strut to lazarette stowage
- Transom gate to port and steps to starboard leading
- to bathing platform Teak-laid transom bathing platform with electrohydraulic raise/lower mechanism (400kg/882lbs), foldaway swimming ladder, hot and cold shower,
- storage locker and deck light Locker housing 220/240v shore support inlets and
- shoreline stowage Liferaft stowage locker
- Rope storage locker
- Deck hatch to engine room
 Starboard hatch to optional crew/occasional cabin

FLYBRIDGE

- Dual station instruments and controls
- (see Lower Helm Position)
- Coolbox at helm position
- Double belm seat L-shaped wetbar with barbecue, sink, drawer fridge,
- waste bin and storage
 Large U-shaped seating area with teak table
- Raised sunbed aft with storage below
- Stereo radio/iPod, MP3 dock
- Hatch to cockpit stairway
- Wind deflector screens
 Stainless-steel handrails
- Deck-level lighting
- GRP radar arch
- Console and seat covers
 Twin matching whip aerials for VHF R/T and radio
 Bilge pump audible alarm
- LOWER HELM POSITION
- Twin helm seats with fore and aft adjustment for helmsman
- Instrument console with engine instruments, fuel gauges
- Dual station instruments and controls at Flybridge
- and Lower Helm Position: rudder position indicator
- electronic engine controls
 power-assisted electro-hydraulic steering with
- adjustable steering wheel ▶ bow thruster control
- electric anchor winch remote control
- ▶ trim tab controls with indicators
- ► autopilot
- VHF with DSC R/T with intercom
 colour radar and GPS/chartplotter (lower helm only –
- flybridge has multiview instrument for GPS) speed and distance log

LOWER HELM POSITION (CONTINUED)

STARBOARD GUEST CABIN

double berth Bedside table with storage

Storage lockers

Extractor fan

Storage locker

PORT GUEST CABIN

LAUNDRY AREA

OPTIONAL AFT CABIN

Two full-size single berths

Hanging and storage space

shower and washbasin

Engine room lighting

Trim tabs with indicators

ELECTRICAL SYSTEMS

24 Volt:

POWER AND DRIVE SYSTEMS

Engine room access hatch and ladder

Electronic engine and gear shift controls

4 x heavy-duty batteries for engine starting

6 x heavy-duty auxiliary batteries

a charging source is present

at main switch panel

Polarity check system

Earth leakage safety trip

radio circi

220/240 Volt:

■ Mirror

En-suite bathroom:

Washbasin with mixer tap

Two single berths with storage
Optional electrically powered sliding berths to create

Large wardrobe with hanging space and shelf storage

Separate stall shower with automatic pump out

Downlighters and individual berth lights

Additional access door from passageway

Two full length berths with storage belowWardrobe with shelf

Downlighters and individual berth lights

The port guest cabin can be changed to a study layout

comprising a desk with chair at the aft end and a two

seater sofa forward. If required an LED TV (32 inch) and DVD can be fitted above the desk and an internet

connection point also fitted in this area. The study area

incorporates lockers, cupboards and a filing drawer

Washer/dryer with storage shelves above located in

can be installed above the washing machine

Downlighters and individual berth lights

Opening portholes and transom window

Bathroom compartment with WC, separate stall

5-bladed propellers in nickel aluminum bronze

Power-assisted electro-hydraulic steering system

Engine room extractor fan with electronic time delay Fresh water supply point in engine room
 Dripless shaft seals

Battery link facility with remote control at helm position
Both battery banks are charged using a voltage

sensitive relay that parallels both battery banks when

100-amp 24v battery charger
Remote battery master switches with control switch

11kW generator in own sound shield with water-cooled and specially silenced exhaust

Automatic fire extinguisher situated by generator
 50-amp shore support inlet

Generator/shore support change-over switch

Circuit breakers on all circuits
 Power points (240v) in: owner's stateroom,

guest cabins, galley and saloon area Shaver points in all bathrooms

Circuit breakers on all circuits
 12v voltage dropper for certain navigation and

Bow thruster (170kgf/375lbf) with dual-station controls

lobby to owner's cabin. Alternatively a separate drver

Storage cupboards with shelves

OPTIONAL STUDY LAYOUT

PRINCESS 64

FUEL SYSTEM

WATER SYSTEM

Water level gauge

FIRE EXTINGUISHERS

generator space

▶ owner's statero

cabin is specified

accommodation (7 in all)

and suction points in same areas

Set of cutlery, crockery and glasses

Set of towels (8 large, 8 hand)

and port and starboard cabins

Ship's document case

Fenders (6) and warps (4)

BILGE PUMPS

flybridge helm

Ensign staff

First aid kit

Boathook

▶ dallev

■ Deck filler

 Fuel tanks (in NS8 marine grade alloy) with interconnection system giving 750 gallons/901 US gallons/3409 litres capacity Fuel fillers on port and starboard side decks

High-capacity duplex fuel filters with water traps and change-over valves, water warning sensors connected

Water tanks totaling 184 gallons/221 US gallons/

Water heated by engines and 240v immersion heater
 Automatic water pump with filter

Electric quietflush WC system with 60 gallons/72 US gallons/272 litres holding tank, content gauge and low

back-up system as well as dockside discharge system

noise electric overboard discharge, with macera

Automatic fire extinguishers in engine room and

Hand-operated fire extinguishers (6) in:

forward, port and starboard guest cabins

gatey
 lower helm position
 Additional extinguisher fitted when optional aft

Automatic/manual override electric bilge pumps in engine room (2), rudder area, lazarette and forward

High-capacity manual bilge pump with valve system

Electric bilge pumps have controls and warning lights

OTHER ITEMS SUPPLIED AS STANDARD

Owner's manual and engine manual and tools
 Quilted bedspreads for beds in owner's stateroom

回線線調回

at main helm and warning light with audible alarm at

836 litres plus 16 gallons/19 US gallons 73 litres hot water calorifier

Main circuit breaker at switch panel

to warning lights at lower helm

Remote fuel cocks in cockpit locker

Fuel gauges at main helm console

- echo sounder with alarm
 remote control searchlight
- high-speed magnetic compass ▶ horn button
- Chart table with light and chart stowage
 Windscreen wipers with windscreen wash
- Bilge pump controls
- 24v and 240v control panels
- PVC sunscreens
- Helmsman's door to starboard side deck
- 12v outlet

Red night lighting

- DECK SALOON
- U-shaped sofa with coffee table to starboard with
- 2 seater sofa opposite Entertainment centre incorporating LED TV/DVD/
- radio linked to surround-sound system with electric raise/lower mechanism for TV and also incorporating
- refrigerator and bottle and glass storage Venetian blinds, roman blinds, curtains or sunscreens
- to all windows and doors

- Overhead downlighters and pelmet lights
 Stainless-steel framed aft cockpit door
 Electric drop window to port side Dining area with table with seating for 6/7 and storage drawer below

GALLEY

- Avonite (or similar) worktop Ceramic 4-zone hob with air extractor unit
- Combination microwave/conventional oven with grill
- Twin-bowl stainless-steel sink with mixer tap
- = Full height refrigerator/deep freeze (24v/240v)
- Icemaker Dishwasher
- Waste disposal bin
- Overhead and concealed lighting
 Drawers and storage cupboards
- Electrically operated sliding glass partition

ACCOMMODATION

- All cabins feature opening portholes and 240v power points
- All bathrooms feature electric quiet flush toilets and 240v shaver points

Full width stateroom with large double bed with

OWNER'S STATEROOM

drawers below

Large wardrobe

Dressing table

Extractor fan

Storage lockers

Full length mirror

Dressing table

berth lights

Extractor fan

■ Mirror Storage lockers

En-suite bathroom:

FORWARD GUEST CABIN

, drobes and shelves

Storage lockers and drawers

Mirror

LED TV/DVD/radio

Shelves, drawers and storage lockers

Downlights and individual berth lights
 En-suite bathroom:

Large double bed with drawers below

Downlighters, concealed lights and individual

Washbasin with mixer tap
 Separate stall shower with automatic pump-out

Deck hatch with skylight and electric blind

Stowage location for dinette stools (2)

Washbasin with mixer tap
 Separate stall shower with automatic pump out

■ Mirror ■ Sofa

Twin bedside tables

Princess Yachts International plc Newport Street Plymouth Devon PL1 3QG UK

Tel:+44 (0)1752 203888Fax:+44 (0)1752 203777

info@princessyachts.com

www.princessyachts.com